

total acidity aoac File PDF

total acidity aoac is a critical parameter in the analysis and quality control of various food and beverage products, especially those like fruit juices, wines, and dairy products. Understanding what total acidity AOAC measures, how it is determined, and its significance in product quality and safety is essential for producers, quality analysts, and consumers alike. This comprehensive guide explores the concept of total acidity AOAC, the methods used for its determination, and its importance within the food industry.

What is Total Acidity AOAC?

Total acidity AOAC (Association of Official Analytical Chemists) refers to the quantification of all the acid components present in a sample, expressed typically in terms of a standard acid such as citric acid, tartaric acid, or lactic acid. It encompasses both free acids and any acid salts that might be present.

Key Points:

- Definition: The total concentration of all titratable acids in a sample.
- Expression: Usually expressed as grams of acid per 100 mL or per 100 g of sample.
- Relevance: Indicates the sourness, stability, and overall quality of food products.

Significance of Measuring Total Acidity

Accurately measuring total acidity is fundamental for multiple reasons:

Quality Control and Product Consistency

Maintaining consistent acidity levels ensures that products taste as expected and meet consumer preferences. Variations in acidity can alter flavor profiles significantly.

Food Safety

Certain acidity levels inhibit microbial growth, contributing to the preservation and safety of products like juices and fermented foods.

Regulatory Compliance

Many countries and regions have established standards for acidity in food products. Accurate measurement ensures compliance with these regulations.

Processing and Storage

Acidity affects the stability, shelf-life, and processing behavior of products. For example, in wine production, acidity influences aging potential and flavor development.

Methods for Determining Total Acidity AOAC

AOAC provides standardized methods for measuring total acidity, primarily through titration techniques. These methods ensure accuracy, reproducibility, and comparability across laboratories.

Titration Method Overview

The most common approach involves titrating a sample with a standardized base until a specific pH endpoint is reached, indicating complete neutralization of acids.

Step-by-Step Procedure

- Sample Preparation: Homogenize the sample and dilute it with distilled water if necessary.
- pH Adjustment: Use a pH meter to monitor the titration process.
- Titration: Gradually add a standard alkali solution (commonly sodium hydroxide, NaOH) to the sample while stirring.
- Endpoint Detection: Continue titration until the pH reaches a predetermined value, often around pH 8.2, which is typically the endpoint for titratable acids in many food matrices.
- Calculation: Determine the total acidity using the volume of titrant used, its concentration, and the sample weight or volume.

Standard Reagents and Equipment

- Standard NaOH solution: Usually 0.1 N or 0.5 N.
- pH Meter: For precise detection of the endpoint.
- Burette and Pipettes: For accurate measurement of reagents and sample volume.
- Indicator: Sometimes phenolphthalein or other suitable indicators are used, although pH meters are preferred for precision.

AOAC Official Method

AOAC Official Method 942.15 describes the titrimetric determination of total acidity in fruit juices, a widely adopted standard. It involves titrating a known volume of juice with 0.1 N NaOH to a pH of 8.2.

Interpreting Total Acidity Results

Understanding the results involves analyzing the volume of titrant used and converting this into an acidity percentage or concentration.

Calculation Formula:

\[

$$\text{Total Acidity (g/100 mL)} = \frac{V \times N \times \text{equivalent weight}}{\text{Sample volume in mL}} \times 100$$

\]

Where:

- V = volume of titrant used (mL)
- N = normality of titrant
- Equivalent weight = weight of acid equivalent to 1 mole

Example:

If 10 mL of 0.1 N NaOH is used to titrate 10 mL of juice, then:

\[

$$\text{Acidity} = \frac{10 \times 0.1 \times 75}{10} \times 100 = 0.75 \text{ g/100 mL}$$

\]

(assuming citric acid equivalent weight of 75 g/mol)

Note: The equivalent weight varies depending on the dominant acid in the sample.

Factors Affecting Total Acidity Measurements

Several factors can influence the accuracy of total acidity determinations:

- **Sample Homogeneity:** Inconsistent mixing can lead to erroneous results.
- **Sample Preparation:** Dilution errors or improper filtration can affect titration outcomes.
- **Titrant Concentration:** Imprecise standardization of the base solution impacts results.
- **Endpoint Detection:** Subjective endpoint detection can cause variability; pH meters improve precision.
- **Type of Acid Present:** Different acids have different titration behaviors; the method assumes a dominant acid type.

Applications of Total Acidity AOAC in Industry

The measurement of total acidity plays a vital role across various food and beverage sectors.

Fruit Juice Industry

Ensures the product has consistent tartness and acidity levels, which influence flavor and microbial stability.

Wine Production

Monitoring acidity is essential for balancing flavors, controlling fermentation, and aging.

Dairy Products

In products like yogurt and cheese, acidity impacts texture, flavor, and shelf life.

Fermented Foods

Acidity levels indicate fermentation progress and safety, especially in products like sauerkraut and kimchi.

Regulatory Standards and Quality Assurance

Various authorities, including the USDA, FDA, and international bodies, have established limits and standards for acidity in food products. Regular testing using AOAC methods ensures compliance and maintains product quality.

Some typical standards include:

- Fruit juices must have a minimum titratable acidity of 0.5% to 1.0% (as citric acid).
- Wine must have specific acidity ranges to qualify as quality wine.
- Dairy products have specified acidity levels for safety and quality.

Advances and Modern Techniques

While titration remains the standard, newer techniques are emerging for faster and more precise measurements:

- pH Meter-Based Methods: Rapid acidity assessment without titration.
- Infrared Spectroscopy: Non-destructive analysis of acids.
- HPLC Analysis: Precise quantification of individual acids, providing detailed profiles beyond total acidity.

Conclusion

Understanding and accurately measuring total acidity AOAC is fundamental for ensuring the quality, safety, and consistency of food and beverage products. The titration method, standardized by AOAC, remains a reliable and widely used technique for this purpose. By controlling acidity levels, producers can optimize product flavor, shelf life, and regulatory compliance. As analytical technology advances, methods continue to evolve, offering faster and more detailed insights into the acidity profile of various products.

In summary:

- Total acidity AOAC quantifies all titratable acids in a sample.
- It is primarily determined through standardized titration methods.
- Accurate measurement supports quality control, safety, and regulatory adherence.
- Variations in acidity influence product taste, stability, and processing.
- Emerging techniques complement traditional titration, enhancing efficiency and precision.

Maintaining a comprehensive understanding of total acidity AOAC not only helps in producing high-quality food products but also ensures consumer safety and satisfaction.

Total Acidity AOAC: Unlocking the Standardized Measurement for Food and Beverage Quality

Introduction

total acidity aoac stands as a cornerstone measurement within the food and beverage industry,

serving as a critical indicator of product quality, safety, and authenticity. As consumers become increasingly conscious of the nutritional and sensory attributes of their foods, manufacturers and regulatory bodies rely on standardized testing methods to ensure consistency and transparency. The AOAC International, a globally recognized authority in analytical methods, has established specific protocols to quantify total acidity, enabling stakeholders to assess products with confidence and precision. This article delves into the concept of total acidity AOAC, exploring its scientific basis, measurement procedures, significance, and implications across various sectors.

Understanding Total Acidity: Definition and Importance

What Is Total Acidity?

Total acidity refers to the combined concentration of all acid constituents present in a food or beverage sample. It encompasses not only the free acids responsible for tangy flavors—such as citric, malic, lactic, or tartaric acids—but also other acid compounds that may influence the product's chemical profile. Expressed typically as grams of acid per 100 milliliters or grams per kilogram of the sample, total acidity provides a quantitative measure of the product's sourness and preservative qualities.

Why Is Total Acidity Important?

Understanding total acidity is vital for several reasons:

- **Quality Control:** It ensures that products meet predefined standards for taste, texture, and stability.
- **Shelf-Life and Preservation:** Acidic environments inhibit microbial growth, extending shelf-life. Accurate acidity measurement helps determine proper storage conditions.
- **Authenticity and Traceability:** Variations in acidity can indicate adulteration or spoilage.
- **Nutritional Labeling:** Accurate acidity levels inform nutritional and health claims.
- **Processing Adjustments:** Manufacturers use acidity data to fine-tune recipes, fermentation processes, and formulation adjustments.

The Role of AOAC in Standardizing Acidity Measurement

What Is AOAC International?

AOAC International (Association of Official Analytical Chemists) is a globally respected organization that develops, validates, and publishes standardized analytical methods for food, pharmaceuticals, and other commodities. Its mission is to ensure the reliability, accuracy, and reproducibility of analytical measurements across industries and regions.

Why Are AOAC Methods Considered the Gold Standard?

AOAC methods undergo rigorous validation processes, including collaborative studies and peer review, to ensure they are precise, accurate, and applicable across different laboratories. Adoption of AOAC protocols ensures consistency in data collection, facilitating regulatory compliance, international trade, and scientific research.

The AOAC Method for Total Acidity

The AOAC official method for determining total acidity typically involves titration with a standardized base (usually sodium hydroxide) and the use of an appropriate indicator (such as phenolphthalein). The detailed procedure includes sample preparation, titration, and calculation steps, designed to minimize errors and variability.

Step-by-Step: Measuring Total Acidity According to AOAC

Sample Preparation

- Sample Homogenization: Ensure the sample is well-mixed to obtain a representative portion.
- Dilution: Depending on the concentration, dilute the sample with distilled water to bring acidity within measurable limits.
- Filtration: Remove particulates that could interfere with titration.

Titration Procedure

- Set Up Equipment: Use a burette filled with a standardized sodium hydroxide solution (usually 0.1 N or 0.5 N).
- Add Indicator: Introduce a few drops of an appropriate acid-base indicator, such as phenolphthalein.
- Perform Titration: Slowly add the titrant to the sample until the endpoint is reached?indicated by a color change.
- Record Volume: Note the volume of titrant used.

Calculations

The total acidity (expressed as grams of acid per 100 mL or grams per kg) is calculated based on the titrant volume, its molarity, the sample weight, and the equivalent weight of the acid.

Basic formula:

$$\text{Total Acidity} = \left(\frac{V \times N \times E}{\text{Sample weight}} \right) \times 100$$

Where:

- V = volume of titrant used (mL)
- N = normality of titrant
- E = equivalent weight of the acid (depends on the acid type)
- Sample weight is in grams or mL, depending on the sample

Interpreting Total Acidity Results

Reference Ranges and Standards

Different food products have typical acidity ranges. For example:

- Fruit Juices: Generally 0.5–2.0 g/100 mL
- Wine: Usually 0.6–1.2 g/100 mL
- Vinegar: Typically 4–8 g/100 mL

Manufacturers aim to keep their products within these ranges, but deviations may indicate processing issues or adulteration.

Impact on Flavor and Preservation

Higher acidity levels contribute to a tangy flavor profile and act as natural preservatives. Conversely, low acidity may lead to spoilage or microbial growth, affecting safety and shelf-life.

Regulatory Compliance

Regulatory agencies often specify maximum or minimum acidity levels for certain products to ensure consumer safety and product integrity. Accurate measurement via AOAC methods helps manufacturers demonstrate compliance.

Applications Across Industries

Food Industry

- Juice and Beverage Manufacturing: Ensuring consistent tartness and microbial stability.
- Dairy Products: Monitoring acidity in products like yogurt and cheese for texture and flavor.
- Canned and Preserved Foods: Adjusting acidity for safety and taste.

Wine and Spirits

- Monitoring fermentation processes.
- Ensuring flavor profiles meet standards.
- Detecting adulteration or spoilage.

Vinegar Production

- Verifying acidity levels for quality labeling.
- Ensuring product safety and consistency.

Pharmaceutical and Nutraceuticals

- Formulating products with precise pH and acidity levels.
- Validating manufacturing processes.

Challenges and Advances in Total Acidity Measurement

Limitations of Traditional Titration

While titration remains the standard, it can be subject to:

- Operator Variability: Differences in endpoint detection.
- Interferences: Substances that may affect indicator performance.
- Time-Consuming: Especially for high-throughput settings.

Emerging Technologies

To overcome limitations, newer methods are being developed:

- pH Meter-Based Titrations: Automated and more precise.
- Spectroscopic Techniques: Using UV-Vis or NIR spectroscopy for rapid analysis.
- Electrochemical Sensors: For real-time monitoring.

Despite these advances, AOAC methods remain the benchmark due to their robustness, validation, and widespread acceptance.

Conclusion: The Significance of Total Acidity AOAC in Food Quality Assurance

In the complex landscape of food science and safety, the measurement of total acidity according to AOAC standards provides a reliable, reproducible, and universally recognized metric. It bridges the gap between scientific rigor and practical application, enabling producers, regulators, and consumers to trust the quality and safety of food and beverage products. As analytical technologies evolve, the core principles established by AOAC continue to underpin advancements, ensuring that the measurement of total acidity remains a vital aspect of food authenticity and safety assurance.

Maintaining strict adherence to AOAC protocols not only fosters consistency across industries but also supports international trade, regulatory compliance, and consumer confidence. Whether in the context of a small juice producer or a global wine manufacturer, understanding and accurately measuring total acidity is essential?an indispensable tool in the pursuit of excellence in food quality.

TOTAL RECORDS

Understanding Total Records: A Comprehensive Guide

Total records is a fundamental concept in data management, database administration, and information systems. Whether you're working with customer databases, sales records, or any large data repository, understanding what total records represent and how to efficiently manage them is crucial for data accuracy, reporting, and decision-making. This article explores the concept of total records in depth, covering its definition, significance, methods of calculation, and best practices for managing large datasets.

What Are Total Records?

Definition of Total Records

In the context of databases and data management, **total records** refer to the complete count of

individual entries or data points stored within a dataset, table, or database. Each record typically corresponds to a unique entity, such as a customer, transaction, product, or event, depending on the nature of the dataset.

Differentiating Total Records from Other Data Metrics

- **Rows vs. Records:** In relational databases, each row often represents a record, but the term "record" emphasizes the logical data entity.
- **Fields vs. Data Points:** Fields are the individual attributes within a record, such as name or date.
- **Total Records vs. Total Data Size:** The total number of records is about count, whereas data size refers to the storage space consumed.

The Importance of Knowing Total Records

Why is Total Records Count Essential?

Understanding the total number of records in a dataset offers several benefits:

- **Data Accuracy and Integrity:** Ensures that datasets are complete and no entries are missing.
- **Performance Optimization:** Knowing the size of data helps in query optimization and system performance tuning.
- **Reporting and Analysis:** Accurate total records count is vital for generating reliable reports, summaries, and insights.
- **Resource Planning:** Helps in capacity planning for storage, processing power, and backup strategies.
- **Compliance and Auditing:** Ensures adherence to data management regulations and audit requirements.

How to Calculate Total Records

Methods for Counting Total Records

The approach to calculating total records depends on the database system or data storage method used:

- **SQL Databases:** Use the COUNT() function in SQL queries.
- **NoSQL Databases:** Utilize specific commands or APIs to retrieve document counts, such as

MongoDB's `countDocuments()`.

- **CSV or Flat Files:** Count the number of lines or entries programmatically via scripts or text editors.
- **Data Management Tools:** Use built-in functions within data management software like Excel, Tableau, or Power BI.

Example: Counting Total Records in SQL

```
SELECT COUNT() FROM customers;
```

This query returns the total number of entries in the "customers" table, providing a quick and accurate record count.

Factors Affecting Total Records Count

Data Filtering and Segmentation

Sometimes, total records are calculated based on specific criteria or filters, which can lead to different counts:

- Active vs. inactive records
- Date ranges (e.g., records created in the last year)
- Geographical segmentation
- Data completeness (excluding records with missing fields)

Data Deduplication and Validation

Duplicate entries can inflate total records counts. Proper deduplication ensures an accurate count, especially in large datasets where duplicates are common.

Managing Large Numbers of Records Effectively

Strategies for Handling Big Datasets

- **Indexing:** Create indexes on frequently queried fields to speed up counting and retrieval.
- **Partitioning:** Divide large datasets into smaller, manageable segments based on criteria like date or region.
- **Archiving:** Transfer historical or less frequently accessed data to archive storage to optimize performance.
- **Use of Data Warehouses:** For analytical purposes, consolidate data into data warehouses optimized for large-scale queries.

Automation and Monitoring

Automate regular total records checks using scripts or scheduled database jobs. Monitoring helps detect anomalies like unexpected drops or increases in record counts, indicating potential data issues.

Applications of Total Records in Business and Technology

Data Analytics and Business Intelligence

Total records form the backbone of analytical processes. Accurate counts enable businesses to:

- Assess customer base size
- Measure transaction volumes
- Track growth over time

Database Performance and Optimization

Knowing total records helps in designing indexes, optimizing queries, and planning hardware resources to ensure fast data retrieval and processing.

Compliance and Regulatory Reporting

Regulatory standards often require reporting on data volume, especially in sectors like finance, healthcare, and government institutions.

Challenges Related to Total Records Management

Data Growth and Scalability

As datasets grow exponentially, maintaining accurate total record counts becomes more complex. Scalability solutions such as distributed databases and cloud storage are essential.

Data Quality and Consistency

Ensuring the integrity of total records involves regular cleaning, validation, and deduplication efforts to prevent inaccuracies.

Real-Time Data Tracking

In fast-paced environments, real-time updates to total records are necessary for accurate decision-making. Implementing real-time data pipelines helps keep counts current.

Conclusion

Total records is a key metric across various data-driven disciplines. From understanding the size of your datasets to optimizing system performance and ensuring data integrity, managing total record counts is vital for effective data management. With the right tools, strategies, and best practices, organizations can handle large datasets efficiently, ensuring accurate reporting, compliance, and insightful analysis. Whether you're a database administrator, data analyst, or business leader, mastering the concept of total records will enhance your ability to leverage data for strategic advantage.

Understanding Total Records: A Comprehensive Guide

In today's data-driven world, understanding the concept of total records is essential for professionals across various fields—from database administrators and data analysts to marketers and project managers. The term total records typically refers to the complete count of individual data entries stored within a database, dataset, or system. Whether you're managing customer data, tracking sales, or conducting research, grasping what total records mean, how to calculate them, and why they matter can significantly influence decision-making and operational efficiency.

In this comprehensive guide, we will explore the concept of total records in depth, covering its definition, significance, methods of measurement, common challenges, and best practices for managing large datasets.

What Are Total Records?

Total records denote the total number of individual data entries within a specific dataset or database. Each record generally represents a single entity or unit of information, such as a customer profile, transaction, product listing, or survey response.

Key Characteristics of Total Records:

- **Completeness Indicator:** Total records give a snapshot of how much data is available.
- **Size Metric:** It helps assess the size of a dataset, which is crucial for storage planning and performance tuning.
- **Data Quality Indicator:** The number of total records can sometimes reflect the scope of data collection efforts.

Examples of Total Records:

- A customer database containing 10,000 customer profiles.
- An e-commerce platform with 250,000 transaction records.
- A research dataset with 15,000 survey responses.

Why Is Total Records Important?

Understanding the total number of records within a dataset is more than just a numerical count?it influences many aspects of data management and analysis.

Significance in Business and Data Analysis

- Data Volume Assessment: Knowing total records helps organizations gauge the scale of their data assets.
- Performance Optimization: Large datasets require optimized queries, indexing, and storage solutions to ensure efficient processing.
- Resource Planning: Storage, processing power, and backup strategies depend on understanding total data size.
- Data Quality and Completeness: Comparing total records against expected figures can reveal gaps or inconsistencies.
- Reporting and Compliance: Accurate record counts are essential for reporting standards, audits, and regulatory compliance.

Impact on Decision-Making

A clear understanding of total records supports strategic decisions, such as targeting marketing campaigns, expanding data collection efforts, or archiving old data.

How to Measure Total Records

Calculating total records is a fundamental task in data management. The method varies depending on the database system, data format, or platform used.

Methods by Data Storage Type

- Relational Databases (SQL)

- Simple COUNT Query:

```
```sql
```

```
SELECT COUNT() FROM table_name;
```

```
```
```

This query returns the total number of records in a specific table.

- Estimated Counts (for large datasets):

Some databases support system functions for faster approximate counts:

```
```sql
```

```
SELECT reltuples AS estimate FROM pg_class WHERE relname='table_name'; -- PostgreSQL
```

```
```
```

- NoSQL Databases

- MongoDB:

```
```javascript
```

```
db.collection.countDocuments();
```

```
```
```

- Cassandra:

Counting total records can be resource-intensive; often, data is estimated via counters or sampling.

- Flat Files and Spreadsheets

- For CSV, Excel, or text files, total records can be counted by:
- Counting the number of lines (excluding headers).
- Using built-in functions in spreadsheet software (e.g., `COUNTA()` in Excel).

Automated Tools and Scripts

- ETL Tools: Many extract-transform-load (ETL) tools automatically provide record counts during data ingestion.
- Custom Scripts: Python, R, or other scripting languages can be used to count records programmatically.

Common Challenges in Counting Total Records

While the concept seems straightforward, practical challenges can complicate accurate record counting.

- Large Datasets

Counting records in massive datasets (millions or billions of entries) can be resource-intensive and time-consuming. Approximate counts or sampling methods are often employed.

- Data Duplication and Redundancy

Duplicate records inflate total counts, potentially misleading analysis. Deduplication processes are necessary for accurate counts.

- Inconsistent Data Structures

Data stored across multiple systems or formats may require consolidation before accurate total record counts can be obtained.

- Data Archiving and Historical Data

Archived data or historical records may be stored separately, making it challenging to determine an overall total across systems.

Best Practices for Managing Total Records

Effective management of total records ensures data integrity, efficiency, and actionable insights.

- Regular Data Audits

Conduct routine audits to verify the accuracy of total record counts. This includes checking for duplicates, missing data, and inconsistencies.

- Implement Data Governance Policies

Establish standards for data entry, storage, and maintenance to ensure record counts remain accurate and meaningful.

- Use Indexing and Partitioning

Optimize database performance by indexing key fields and partitioning large tables to facilitate faster counts and queries.

- Leverage Metadata and Data Catalogs

Maintain documentation about data sources, update frequencies, and total record counts to support transparency and data governance.

- Automate Count Processes

Set up scheduled scripts or tools to automatically update total record counts, especially after data loads or updates.

Analyzing Total Records: Beyond the Count

While knowing the total number of records is vital, deeper analysis can reveal more about data quality and insights.

- Record Completeness

Assess the percentage of records with complete data fields to identify gaps.

- Growth Trends

Track how total records change over time to understand data accumulation rates or identify anomalies.

- Segmentation

Break down total records into categories or segments for targeted analysis, such as active vs. inactive users.

Case Studies: The Power of Understanding Total Records

Case Study 1: E-Commerce Platform

An online retailer notices their total transaction records increased from 500,000 to 1 million over six months. This growth prompted the company to review storage capacity, optimize database queries, and analyze purchasing patterns more effectively.

Case Study 2: Healthcare Data Management

A hospital system manages patient records totaling over 2 million entries. Regular counts help ensure compliance with data retention policies, and identifying duplicate records has improved patient care accuracy.

Conclusion

The concept of total records is fundamental to effective data management, analysis, and decision-making. Whether dealing with small spreadsheets or massive distributed databases, understanding how to accurately measure, interpret, and leverage total record counts empowers organizations to optimize their data assets. By implementing best practices, addressing common challenges, and integrating count metrics into broader data governance frameworks, professionals can maximize the value derived from their datasets.

Remember, behind every number lies an opportunity to uncover insights, improve operations, and make informed decisions. Mastering the understanding of total records is a crucial step toward data excellence.

QuestionAnswer What does 'total records' refer to in a database context? In a database context, 'total records' refers to the total number of entries or rows stored within a particular table or dataset. How can I efficiently retrieve the total number of records in a large database? You can use the SQL COUNT() function to efficiently retrieve the total number of records, for example: SELECT COUNT() FROM table_name; Why is knowing the total records important for data analysis? Knowing the total records helps in understanding the dataset size, planning processing resources, and assessing the scope of analysis or reporting tasks. What are common challenges when dealing with total records in big data systems? Challenges include slow query performance, high resource consumption, and difficulty maintaining real-time counts in distributed or sharded databases. Can total records be dynamically updated in real-time applications? Yes, with proper database design and indexing, total record counts can be updated dynamically, often through triggers or real-time counters integrated into the application. How does data duplication affect total records count? Data duplication can inflate the total records count unless duplicates are identified and removed, which is essential for accurate data analysis. What is the difference between total records and filtered records? Total records refer to the complete count of entries in a dataset, whereas filtered records are those that meet specific criteria or conditions within the dataset. Are there any best practices for managing total records in a large-scale system? Best practices include indexing for faster counts, maintaining summary tables for quick access, and regularly archiving or partitioning data to optimize performance. How does the concept of total records apply to cloud-based data storage solutions? In cloud storage, total records help monitor storage usage, optimize query performance, and manage scaling strategies across distributed environments.

Related keywords: total entries, data count, record total, dataset size, total data points, record quantity, overall entries, total data records, data volume, record tally

Read the full article online: [TOTAL RECORDS](#)